What is claimed is:

1. A compound of the formula I



(I)

wherein

R_0 is  , -O-, -S-, -SO-, -SO_2- or  ,

R_1 and R_2 are each independently of the other a fluorine containing group,

R_3 and R_4 are each independently of the other hydrogen, a fluorine containing group, C_1-C_{12}alkyl, phenyl or



; or R_3 and R_4, together with the carbon atom to which they are bonded, form a C_5-C_8-cycloalkylidene ring that is unsubstituted or substituted by from 1 to 3 C_1-C_4alkyl groups;

R_5, R_6, R_7 and R_8 are each independently of the other hydrogen, C_1-C_{12}alkyl or C_3-C_{12}alkenyl,

X_1 and X_2 are each independently of the other a direct bond or C_1-C_{12}alkylene,

m is 1 to 10'000, and

n is 0 to 10'000.

2. A compound according to claim 1, wherein

R_0 is  ,

R_1 and R_2 are each independently of the other a fluorine containing group,

R_3 and R_4 are each independently of the other hydrogen, CF_3, C_1-C_{12}alkyl, phenyl or



; or R_3 and R_4, together with the carbon atom to which they are bonded, form a C_5-C_8-cycloalkylidene ring that is unsubstituted or substituted by from 1 to 3 C_1-C_4alkyl groups;

R_5, R_6, R_7 and R_8 are hydrogen,

X_1 and X_2 are each independently of the other C_1-C_{12}alkylene,

m is 1 to 10'000, and

n is 0 to 10'000.

3. A compound according to claim 1, wherein R_1 and R_2 are each independently of the other $-(CF_2)_pF$, wherein p is 1 to 50.

4. A compound according to claim 3, wherein p is 4 to 15.

5. A compound according to claim 1, wherein

R_0 is  ,

R_3 is hydrogen, CF_3, C_1-C_{12}alkyl, phenyl or



; R_4 is hydrogen, CF_3, C_1-C_{12}alkyl or phenyl; or R_3 and R_4, together with the carbon atom to which they are bonded, form a C_5-C_8-cycloalkylidene ring that is unsubstituted or substituted by from 1 to 3 C_1-C_4alkyl groups;

R_5, R_6, R_7 and R_8 are hydrogen,

X_1 and X_2 are each independently of the other C_1-C_{12}alkylene,

m is 1 to 10'000, and

n is 0 to 10'000.

6. A compound according to claim 1, wherein R_3 and R_4 are each independently of the other hydrogen or C_1-C_4alkyl; or R_3 and R_4, together with the carbon atom to which they are bonded, form a cyclohexylidene ring.

7. A compound according to claim 1, wherein X_1 and X_2 are each independently of the other C_2-C_8alkylene.

8. A compound according to claim 1, wherein m is 1 to 50, and n is 0 to 50.

9. A compound according to claim 1, wherein

R_0 is  ,

R_1 and R_2 are each independently of the other $-(CF_2)_pF$,
R_3 and R_4 are each independently of the other C_1-C_4alkyl; or R_3 and R_4, together with the carbon atom to which they are bonded, form a cyclohexylidene ring;
R_5, R_6, R_7 and R_8 are hydrogen,
X_1 and X_2 are ethylene,
m is 2 to 50,
n is 0 to 50, and
p is 4 to 15.

10. A composition comprising
    a) an organic material which is susceptible to oxidative, thermal or light-induced degradation, and
    b) at least one compound of the formula I according to claim 1.

11. A composition according to claim 10 wherein component (a) is a synthetic polymer.

12. A composition according to claim 10 wherein component (a) is a polycarbonate, polyester, polyacrylate or polymethacrylate or their mixtures, blends or alloys.

13. A composition according to claim 10 wherein component (b) is present in an amount of from 0.1 to 20 %, based on the weight of component (a).

14. A composition according to claim 10, comprising in addition, besides components (a) and (b), further additives.

15. A composition according to claim 14, comprising as further additives phenolic antioxidants, light-stabilizers and/or processing stabilizers.

16. A process for reducing the surface energy of organic materials which comprises incorporating therein or applying thereto a compound of the formula I according to claim 1.

17. Use of a compound of the formula I according to claim 1 as reducer of surface energy for organic materials.